


REFERENCES



1. The United States Pharmacopoeia, The Official Compendia of Standards, (2006), 29th ed., Rockville, MD, USP convention Inc.
2. ICH Harmonised Tripartite Guideline (Nov 2005) Validation of Analytical Procedures: Text and Methodology Q2 (R1).
3. Ewing's, Analytical Instrumentation Handbook, (2005) 3rd ed., edited by Cazes J, Marcel Dekker, New York, p. 995-998.
4. Skoog DA, Holler FJ, Timothy A and Niemann NW, (2004), Principle of Instrumental Analysis, 5th ed., Eastern Press, Bangalore, p. 1-2, 678-688, 695-696.
5. Beckett AH and Stenlake JB, (2004), Practical Pharmaceutical Chemistry, Part 2, CBS Publishers and Distributors, New Delhi, p. 282-283.
6. Scott RPW, (2003), Technique and Practice of chromatography, Marcel Dekker, New York, Vol. 70, p. 1-12.
7. Sharma BK, (2003), Instrumental Methods of Chemical Analysis, 25th ed., Goel Publishing House, Meerut, p. 39-42, 96-104.
8. Sharma BK, (2002), Instrumental Methods of Chemical Analysis, 21st ed., Goel Publishing House, Meerut, p. 3-5.
9. Willard HH, Merritt LL, Dean JA and Settle FA, (2001), Instrumental Methods of Analysis, 7th ed., CBS Publishers and Distributors, Delhi, p.3.
10. Munson JW, (2001), Pharmaceutical Analysis: Modern Methods (Part B), Marcel Dekker, New York, p. 51-54,120,175.

11. Chatwal GR and Anand (2001) SK, (2004), Instrumental Methods of Chemical Analysis, 5th ed., Himalaya Publishing House, Delhi, p. 2.599-2.605.
12. Sethi PD, (2001), HPLC 'High Performance Liquid Chromatography', Quantitative Analysis of Pharmaceutical Formulations, 1st ed., CBS Publishers and Distributors, New Delhi, p. 3-11, 116-120.
13. Connors KA, (1999), a textbook of Pharmaceutical Analysis, 8th ed., Wiley-Interscience, New York, p. 408-421.
14. Parimoo P, (1998), Pharmaceutical Analysis, 1st ed., CBS Publication and Distributors, New Delhi, p. 151-152.
15. Snyder LR, Kirkland JJ and Glajch JL, (1997), Practical HPLC Method Development, 2nd ed., New York, Wiley, p. 1-20.
16. Skoog DA, West DM and Holler FJ, (1996), Fundamentals of Analytical Chemistry, 7th ed., Saunders College Publishing, Philadelphia, p. 1-3.
17. Jeffery GH, Basset J, Mendham J and Denney RC, (1996), Vogel's textbook of Quantitative Chemical analysis, 5th ed., Longman Publication, England, p. 647-649.
18. ICH, (October 1993), Q1A Stability testing of New Drug Substances and Products, In: Proceedings of the International Conference on Harmonization, Geneva.
19. Schrimmer RE, (1991), Modern Method Pharmaceutical Analysis, 2nd ed., CRC Press, Vol.-1, p. 75-76.
20. Hamilton RJ and Sewell PA (1982) Introduction to HPLC, 2nd ed., Chapman and Hall, London, p. 189.
21. Scott RPW, Liquid Chromatography for the Analyst, Marcel Dekker, New York, Vol. 67, p. 15-23, 265-272.

22. International Conference on Harmonization of Technical Requirements for Registration of Pharmaceuticals for Human Use, ICH Harmonized Tripartite Guideline-Validation of Analytical Procedures: Text and Methodology Q2(R1), Current Step 4 version, London, 2005.
23. J.N. Miller, Basic statistical methods for analytical chemistry. Part 2. Calibration and regression methods. A review. *Analyst*, 116(1), 1991;p. 3-14.
24. Shaadmin N shaik and Manjusri P. Dabhade, Development and validation of RPHPLC method for quantitative analysis of sofosbuvir in pure and pharmaceutical formulation, *World Journal of Pharmacy and Pharmaceutical Sciences*, 6(8), 2017, 2249-2258.
25. R.M. Nemade, M.N. Dole, Dr. S.D. Sawant, Development and validation of stability indicating RP-HPLC method for the estimation of sofosbuvir by forced degradation studies, *World Journal of Pharmacy and Pharmaceutical Sciences*, 6(4), 2017, 1503-1512.
26. V. Ravikumar, C.V.S. Subramanyam, G. Veerabhadram, Estimation and validation of sofosbuvir in bulk and tablet dosage form by RP-HPLC, *International Journal of Pharmacy*, 6(2), 2016, 121-127.
27. P.Swathi, K.Rajeswari dutt, K.N.V. Rao, M. Alagar Raja, RP-HPLC method development and validation for simultaneous estimation of sofosbuvir in pure and tablet dosage form, *Innovat International Journal of Medical and Pharmaceutical Sciences*, 2(4), 2017, 7-9.
28. P. Mohan Vikas, Dr. J. Satya Narayana, D. Vinod kumar, E. Mounika, M. Srilatha, R. Anusha and Y. Sathish, Development and validation of new RPHPLC method for the determination of sofosbuvir in pure form, *World Journal of Pharmacy and Pharmaceutical Sciences*, 5(5), 2016, 775-781.

29. Hassouna MEM, Abdelrahman MM, Mohamed MA. Assay and Dissolution Methods Development and Validation for Simultaneous Determination of Sofosbuvir and Ledipasvir by RP-HPLC Method in Tablet Dosage Forms. *J Forensic SciCrimInvestig1* (2017):555-562.
30. Sherif Abdel-Naby Abdel-Gawad, Simple chromatographic and Spectrophotometric determination of sofosbuvir in pure and tablet forms, *European Journal of Chemistry*, 7(3), 2016, 375-379.
31. Shaikh John Saida, Muniappan. M, Manikanta Kumar. K, Ramulu. Y, S. Venkat Rao, Estimation of sofosbuvir with validated UHPLC method in its bulk and formulations, *Der Pharmica Sinica*, 8(2), 2017, 10-15.
32. Pan C, Chen Y, Chen W, Zhou G, Jin L, Zheng Y. et al. Simultaneous determination of ledipasvir, sofosbuvir and its metabolite in rat plasma by UPLC–MS/MS and its application to a pharmacokinetic study, *J Chromatogr B* 1008 (2016):255-259.
33. M.R. Rezk, Emad B. Basalious, Mohammed E. Amin, Novel and sensitive UPLC-MS/MS method for quantification of sofosbuvir in human plasma: Application to a bioequivalence study, *Bio Medical Chromatography*, 30, 2016, 1354-1362.
34. Shi X, Zhu D, Lou J, Zhu B, Hu A, Gan D. Evaluation of a rapid method for the simultaneous quantification of ribavirin, sofosbuvir and its metabolite in rat plasma by UPLC–MS/MS, *J Chromatogr B* 1002 (2015): 353-357.
35. B.M. Gandhi, Rao A.L, Rao J.V, UPLC-MS/MS method for determination of sofosbuvir inn human plasma, *French Pharmaceutical annals*, 75 (4), 2017, 257-166.

36. M. Nebsen, Eman S. Elzanfaly, Stability indicating method and LC-MS/MS characterization of forced degradation products of sofosbuvir, *Journal of Chromatographic Science*, 54(9), 2016, 1631-1640.
37. Elkady EF, Aboelwafa MA. A Rapid and Optimized LC-MS/MS Method for the Simultaneous Extraction and Determination of Sofosbuvir and Ledipasvir in Human Plasma. *J AOAC Int*99 (2016):1252-1259.
38. K.Sumathi, K. Thamizhvanan and S. Vijay Raj, Development and validation of stability indicating RP-HPLC method for the estimation of Daclatasvir in bulk and formulation, *Der pharmacia letter*, 8 (15), 2016, 107-113.
39. Hanna Saleh, Gamal H. Ragab, Mohammed A. Othman, Stability indicating HPLC method development and validation of daclatasvir in pure and tablet dosage forms, *Indo American Journal of Pharmaceutical Sciences*, 3(12), 2016, 1565-1572.
40. Sonia T. Hassib, Elham A. Taha, Ehab. F. Elkady, Ghadd H. Barakat, RP-HPLC method for determination of daclatasvir dihydrochloride and study of its degradation behaviour, *Chromatographia*, 80(7), 2017, 1101-1107.
41. G.Srinivasu, K.Nagesh kumar, Ch. Thirupathi, Ch. Lakshmi Narayana, Ch. Parameswara Murthy, Development and validation of the chiral HPLC method for daclataasvir in gradient elution mode on amylase-based immobilized chiral stationary phase, *Chromatographia*, 79 (21-22), 2016, 1457-1467.
42. Guilio Nannetti, Loenzomersa, Marta celegato, Ariana loresian, Development and validation of a simple and robust HPLC method with UV-detection for quantification of the hepatitis-C virus inhibitor- daclatasvir in human plasma, *Journal of Pharmaceutical and Biomedical analysis*, 134, 2017, 275-281.

43. Jeevana JB, Padmaja G. UV spectrophotometric method for estimation of new drug, Daclatasvir dihydrochloride, *Int Res J Pharm* 7 (2016):1-3. 30.
44. M.M. Baker, DS. El-Kafrawy, M.S. Mahrous, T.S. Belal, Validated stability indicating HPLC-DAD method for determination of the recently approved hepatitis-C antiviral agent Daclatasvir, *Annales Pharmaceutiques Francaises*, 75(3), 2017, 176-184.
45. Ashok CV, Sailaja BBV, Praveen KA. Method development and validation of ultraviolet-visible spectroscopic method for the estimation of hepatitis-c drugs - daclatasvir and sofosbuvir in active pharmaceutical ingredient form, *Asian J Pharm Clin Res* 9 (2016):61-66.
46. Mohammed El-Kaseem M. Hassouna, Mohammed Abdelrahman and Mahmoud Abdelfatah Mohamed, Assay and dissolution method development and validation for simultaneous determination of sofosbuvir and ledipasvir by RP-HPLC method in tablet dosage forms, *Journal of Forensic Sciences and Criminal Investigation*, 1(3), 2017, 1-11.
47. Bakht Zaman, Faisal Siddique, Waseem Haseem Hassan, RP-HPLC method for simultaneous determination of sofosbuvir and ledipasvir in tablet dosage form and its application to Invitro dissolution studies, *Chromatographia*, 79, 2016, 1605-1613.
48. T. Nagaraju, S.V.M. Vardhan, D. Ravikumar, D. Ramachandran, A new RPHPLC method for the simultaneous assay of sofosbuvir and ledipasvir in combined dosage form, *International Journal of Chem Tech Research*, 10(7), 2017, 761-768.
49. U. Jyothi, Dr. Parimi Umadevi, Analytical method development and validation for the simultaneous estimation of sofosbuvir and velpatasvir drug product by

- RP-HPLC method, Indo American Journal of Pharmaceutical Research, 7(8), 2017, 401-409.
50. N. Sarath, Seshagiri rao J.V.L.N, A stability indicating RP-HPLC method for simultaneous estimation of velpatasvir and sofosbuvir in combined tablet dosage forms, World Journal of Pharmacy and pharmaceutical Sciences, 6(9), 1596-1611.
51. B. Raj kumar, Dr. K.V. Subramanyam, A new validated RP-HPLC method for the simultaneous determination of Simeprevir and Sofosbuvir in pharmaceutical dosage form, Indo American Journal of pharmaceutical Sciences, 6(2), 2016, 4508-4520.
52. Ocque AJ, E Hagler CE, Difrancesco R, Woolwine-Cunningham Y, Bednasz CJ, Morse GD, Talal AH. Development and validation of a UPLC-MS/MS method for the simultaneous determination of paritaprevir and ritonavir in rat liver. *Bioanalysis*. 2016;8(13):1353-1363.
53. Mediseti Pravallika, Dr. Devanaboyina Narendra and Gadi Vijaya Lakshmi. Method development and validation for simultaneous estimation of ritonavir, ombitasvir & paritaprevir by RP-HPLC method. *ejpmr*, 2020,7(7), 849-855.
54. BAJE, S. I., JYOTHI, B., & MADHAVI, N. (2019). RP-HPLC Method for Simultaneous Estimation Of Ritonavir, Ombitasvir And Paritaprevir In Tablet Dosage Forms And Their Stress Degradation Studies. *International Journal of Applied Pharmaceutics*, 11(2), 193-210.
55. Wadie MA, Mostafa SM, El SM, Elgawish MS. Development and validation of a new, simple-HPLC method for simultaneous determination of ombitasvir, paritaprevir, ritonavir and ribavirin in tablet dosage form. *Iosr journal of pharmacy and biological sciences*. 2017;12(6): 28-35.

56. Jahnvi B, Ganapaty S. Stability indicating RP-HPLC method development and validation for the simultaneous determination of ombitasvir, paritaprevir, and ritonavir in tablet dosage forms. *Asian Journal of Pharmaceutical Education and Research*. 2018;7(1):90-101.
57. Al-Zoman NZ, Maher HM, Al-Subaie A. Simultaneous determination of newly developed antiviral agents in pharmaceutical formulations by HPLC-DAD. *Chemistry Central Journal*. 2017;11(1): 2-8.
58. Chiranjeevi K, Channabasavaraj KP, Lakshminarayana B, Kalyan kumar B. Development and validation of RP-HPLC method for quantitative estimation of ritonavir in bulk and pharmaceutical dosage forms. *International Journal of Pharmaceutical Sciences and Research*. 2011;2(2): 336-340.
59. Seetaramaiah K, Anton Smith A, Ramyateja K, Alagumanivasagam G, Manavalan R. spectrophotometric determination of ritonavir in bulk and Pharmaceutical Formulation. *Sci. Revs. Chem. Commun*. 2012;2(1): 1-6.
60. Trivedi CD, Mardia RB, Suhagia BN, Chauhan SP. Development and validation of spectrophotometric method for the estimation of ritonavir in tablet dosage form. *International Journal of Pharmaceutical Sciences and Research*. 2013;4(12): 4567-4572.
61. Anantha Kumar D, Srinivasa Rao G, JVLN SR. Simultaneous determination of lamivudine, zidovudine and abacavir in tablet dosage form by RP-HPLC method. *E J of Chem*. 2010, 7(1):180–184.
62. Ashok G, Mondal DS. Development and validation of stability indicating method for the simultaneous estimation of batcaver sulphate, lamivudine and dolutegravir sodium in pharmaceutical dosage forms by RP-HPLC *Saudi. J Med Pharm Sci*. 2018, 4:289–296.

63. Khaleel N, Sk AR. A validated stability indicating RP-HPLC method for simultaneous determination of abacavir, lamivudine and dolutegravir in bulk and pharmaceutical dosage form. *W J of Pharm. Res.* 2015, 4(7):1453–1476.
64. Mallikarjuna Rao N, Gowri Sankar D. Development and validation of stability-indicating HPLC method for simultaneous determination of lamivudine, tenofovir and dolutegravir in bulk and their tablet dosage form. *Future J Pharm Sci.* 2015, 1:73–77
65. Vijayalakshmi R, Kalyani P, Sandya P, Dhanaraju MD. Method development and validation of a reverse phase liquid chromatographic method for simultaneous determination of lamivudine and abacavir sulphate in tablets. *A. J. of Phytomed and Clin. Therapeutics.* 2013, 1(2):208–214.
66. Raja T, Lakshmana Rao A. Development and validation of RP-HPLC method for estimation of abacavir, lamivudine and zidovudine in pharmaceutical dosage form. *Int. J of Pharm Tech Res.* 2011, 3(2):852–857.
67. Anil Yadav N, Mangamma K, Mani Kumar G. Analytical method development and validation by RP-HPLC for the simultaneous estimation of abacavir sulphate and lamivudine in tablet dosage forms. *Int. J. of Pharm, Chem. Bio Sci.* 2013, 3(3):538–545.
68. Mastanamma S, Jyothi JA, Saidulu P. Development and validation of RP-HPLC method for the simultaneous estimation of lamivudine, tenofovir alafenamide and dolutegravir bulk and their combined dosage form. *Pharm Methods.* 2108, 9:49–55.
69. Pal N, Avanapu SR, Ravikumar P. Simultaneous HPLC method development and validation for estimation of Lamivudine, Abacavir and Dolutegravir in combined dosage form with their stability studies. *Asian J Chem,* 2016, 28:273–276.

70. Kenney BK, Wring AS, Carr MR, Wells NG, Dunn AJ. Simultaneous determination of zidovudine and lamivudine in human serum using HPLC with tandem mass spectrometry. *J. Pharm. Biomed. Anal* 2000, 22:967–983.
71. Pereira SA, Kenney BK, Cohen SM, Hall EJ, Eron JJ, Tidwell RR, Dunn AJ. Simultaneous determination of lamivudine and zidovudine concentrations in human seminal plasma using HPLC and tandem mass spectrometry. *J Chrom. B.* 2000, 742:173–183.
72. Bennetto-Hood C, Tabolt G, Paul MS, Edward P. A sensitive HPLC-MS/MS method for the determination of dolutegravir in human plasma. *J Chrom. B. Analyt Tech. Biomed. Life Sci* 2015, 15:225–232.
73. Sparidans WR, Hoetelmans WMR, Beijnen HJ. Liquid chromatography assay for simultaneous determination of abacavir and mycophenolic acid in human plasma using dual spectrophotometric detection. *J. of Chrom. B.* 2001, 750:155–161.
74. Vikram Singh A, Nath LK, Pani NR. Development and validation of analytical method for estimation of lamivudine in rabbit plasma. *J Pharm Anal*, 2011, 1:251–257.
75. Sudha T, Ravikumar VR, Hemalatha PV. Validated HPTLC method for simultaneous determination of lamivudine and abacavir sulfate in tablet dosage form. *Int. J. Pharm Sci and Res.* 2010, 1(11):101–111
76. Bhavar GB, Pekamwar SS, Aher KB. High-performance liquid chromatographic and high-performance thin-layer chromatographic method for the quantitative estimation of dolutegravir sodium in bulk drug and pharmaceutical dosage form. *Sci Pharm*, 2016, 84:305–320.

77. Deepali G, Elvis M. UV spectrophotometric method for assay of the anti-retroviral agent lamivudine in active pharmaceutical ingredient and in its tablet formulation. *J Young Pharm*, 2010, JYP 2:417–419.
78. Balasaheb BG, Balasahen AK, Subhash TR, Jijabapu K. Development and validation of UV spectrophotometric method for estimation of dolutegravir sodium in tablet dosage form. *Malaysian J Anal Chem*, 2015, 19:1156–1163.
79. Madu KC, Ukoha PO, Attama AA. Spectrophotometric determination of lamivudine using chloranilic acid and 2,3-dichloro-5,6-dicyano-1,4-benzoquinone (DDQ). *Am J Anal Chem* 2011, 2:849–856.
80. Sravan Kumar Reddy G, Ashutosh Kumar S, Raj Kumar V. A new, simple, sensitive, accurate and rapid analytical method development and validation for simultaneous estimation of lamivudine, abacavir and zidovudine in tablet dosage form by using UPLC. *Int. J. Pharm Sci and Res.* 2014, 5(9):3852–3863.
81. Shirkhedkar AA, Bhirud CH, Surana SJ. Two simple, rapid, accurate and economical ‘Zero order UV- spectrophotometry and first order derivative methods. *J. chem. And Environ.* 2008; 12(11):49.
82. Nevase PA, Nimje HM, Oswal RJ, Antre RV, Kshirsagar SS. UV spectrophotometric method for estimation of Tenofovir disoproxil fumarate tablet dosage form. *International journal of pharmaceutical research and development.* 2011; 3(3):73-75.
83. Bojja S, Thimmaraju M K , Nerella R. Simultaneous determination of Tenofovir disoproxil fumarate and Lamivudine by UV spectrophotometric method. *International Journal of Pharmacy and Pharmaceutical Science Research.* 2012; 2(1): 9-15.

84. Choudhari VP, Ingale S, Gite SR, Tajane DD, Modak VG, Ambekar, A. Spectrophotometric simultaneous determination of Tenofovir disoproxil fumarate and Emtricitabine in combined tablet dosage form by ratio derivative, first order derivative and absorbance corrected methods and its application to dissolution study. *Pharm Methods*. 2011; 2(1): 47–52.
85. Bhavsar DS, Patel BN, Patel CN. RP-HPLC method for simultaneous estimation of Tenofovir disoproxil fumarate, Lamivudine, and Efavirenz in combined tablet dosage form. *Pharmaceutical methods*. 2012;3(2):73-8.
86. Komaroju D, Reddy GN, Dhanalakshmi K. A simple, precise, accurate and rapid RP- HPLC method with PDA detector has been developed and subsequently validated for the simultaneous estimation of Emtricitabine and Tenofovir disoproxil fumarate in pure and tablet dosage form. *International Journal of Pharma Research & Review*. 2013;2(10):1-11.
87. Gangrade M, Kanyawar N, Surve V, Kasbale A, Singh M. Reversed phase high performance liquid chromatographic determination of impurities of Tenofovir disoproxil fumarate. *Indian Drugs*. 2006;43(5):405-09.
88. El BM, Gagnieu MC, Guitton J. Relevance of a combined UV and single mass spectrometry detection for the determination of Tenofovir in human plasma by HPLC in therapeutic drug monitoring. *J. Chromatogr. B Analyt Technol. Biomed. Life Sci*. 2007;854(1-2): 192-97.
89. Delahunty T, Bushman L, Fletcher CV. Sensitive assay for determining plasma Tenofovir concentrations by LC/MS/MS. *J. Chromatogr B Analyt Technol Biomed Life Sci*. 2006;830(1):6-12.
90. Bezy V, Morin P, Couerbe P, Leleu G, Agrofoglio L. Simultaneous analysis of several antiretroviral nucleosides in rat-plasma by high-performance liquid

- chromatography with UV using acetic acid/hydroxylamine buffer test of this new volatile medium-pH for HPLC-ESI-MS/MS. *J Chromatogr B Analyt Technol Biome Life Sci.* 2005;821(2):132-43.
91. Takahashi M, Kudaka Y, Okumura N, Hirano A, Banno K, Kaneda T. Determination of plasma Tenofovir concentrations using a conventional LC-MS method *Biol. Pharm. Bull.* 2007;30(9): 1784-86.
92. Bennetto-Hood C, Long MC, Acosta EP. Development of a sensitive and specific liquid chromatography/mass spectrometry method for the determination of Tenofovir in human plasma. *Rapid Commun Mass Spectrom.* 2007; 21(13): 2087-94.
93. Sentenac S, Fernandez C, Thuillier A, Lechat P, Aymard G. Sensitive determination of tenofovir in human plasma samples using reversed-phase liquid chromatography. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2003;793(2):317-24.
94. Chandra P, Rathore AS, Sathiyarayanan L, Mahadik KR. Application of high-performance thin-layer chromatographic method for the simultaneous determination of lamivudine and tenofovir disoproxil fumarate in pharmaceutical dosage form. *J. Chil. Chem. Soc.* 2011;56:702-05.
95. Havele S, Dhaneshwar SR, Stress studies of Tenofovir disoproxil fumarate by HPTLC in bulk drug and pharmaceutical formulation, *The Scientific World Journal.* 2012;33:607-09.
96. Joshi M, Nikalje AP, Shahed M, Dehghan M. HPTLC method for the simultaneous estimation of emtricitabine and tenofovir in tablet dosage form. *Indian Journal of Pharmaceutical Sciences.* 2009; 71(1):95-7.

97. Choudhari VP, Ingale S, Gite SR, Tajane DD, Modak VG, Ambekar A. Spectrophotometric simultaneous determination of tenofovir disoproxil fumarate and emtricitabine in combined tablet dosage form by ratio derivative, first order derivative and absorbance corrected methods and its application to dissolution study. *Pharm Methods*. 2011; 2(1): 47-52.
98. Nimje HM, Oswal RJ, Fadake MB. Application of UV spectrophotometric method for estimation of emtricitabine in bulk and capsule *International Journal of Pharma Research and Development*. 2010; 2(8): 77-79.
99. Bhaskar reddy CM, Subbha Reddy SV. Simple UV-spectrometric determination of emtricitabine in pure form and in pharmaceutical formulation. *International research journal of pharmacy*. 2012; 3(8): 268-70.
100. Peepliwal, Bonde AK, Chandakant G. Determination of emtricitabine in human plasma by RP-HPLC with UV-detection. *Journal of Pharmacy Research* 2010; 3(8): 1712.
101. Ghorpade SA, Sali MS, Katagaonkar AH, Patel DM, Choudhari VP, Kuchekar BS Simultaneous determination of emtricitabine and tenofovir by area under curve and dual wavelength spectrophotometric method. *J. Chil. Chem. Soc.* 2010; 55(1): 115-17.
102. Devrukhakar PS, Borkar R, Shastri N, Surendranath KV. Validated Stability-indicating RP-HPLC method for the simultaneous determination of tenofovir, emtricitabine and efavirenz and statistical approach to determine the effect of variables. *Chromatography*. 2013; 2(13): 1-8.
103. Seshachalam U, Haribabu B, Chandrasekhar KB. Development and validation of a stability -indicating liquid chromatographic method for determination of

- emtricitabine and related impurities in drug substance Journal of Separation Science. 2007;30 (7):999-1004.
104. Raju NA, Begum S. Simultaneous RP-HPLC method for the estimation of the emtricitabine, tenofovir disoproxil fumarate and efavirenz in tablet dosage forms. Research Journal of Pharmacy and Technology. 2008;1(4):522–25.
105. Soni A, Thakral S. Simultaneous Estimation of Tenofovir and Emtricitabine in Human Plasma Using HPLC after Protein Precipitation Extraction. J Anal Bioanal Tech. 2013; 4(3):1-4.
106. Hamarapurkar PD, Parate AN. HPLC method for the determination of emtricitabine and related degradation substances. J Chromatogr Sci. 2013; 51(5):419-24.
107. Kumar P, Dwivedi SC, Kushnoor A. Validated HPTLC method for the determination of emtricitabine as bulk drug and in capsule dosage form. International Journal of Biomedical and advance research. 2011;2(7):508-13.
108. Nikalje AP, Maniyar A, Shaikh O. HPTLC method development validation for simultaneous determination of efavirenz, emtricitabine and tenofovir in combined tablet formulation and forced degradation studies. American Journal of Pharmatech Research. 2013;3(1):651-60.